

Amendments to the Claims:

Please cancel claim 22 without prejudice to or disclaimer of the subject matter contained therein.

The following listing of claims will replace all prior versions, and listings, of claims in the application:

-
1. (Withdrawn) A method for manufacturing an organic EL device, comprising:
coating a composition including an organic EL material above a plurality of electrodes to form an organic EL layer above each of the plurality of electrodes;
defining an effectively optical area in which the plurality of electrodes are formed; and
defining a coating area, that is broader than the effectively optical area, in which the composition including the organic EL material is to be coated.
 2. (Withdrawn) The method according to claim 1, the defining a coating area step including defining the coating area to include the perimeter of the effectively optical area.
 3. (Withdrawn) The method according to claim 1, the defining a coating area step including defining the coating area located along the perimeter of the effectively optical area to be a dummy area in which the composition including the organic EL material is also coated to form an organic EL layer.
 4. (Withdrawn) The method according to claim 3, further comprising:
forming a layer made of the same material as that of the electrodes in the dummy area; and
coating the composition including the organic EL material on the layer.
 5. (Withdrawn) The method according to claim 1, further comprising:

providing a group of effectively optical areas formed of a plurality of the effectively optical areas on a substrate; and

defining dummy areas around the effectively optical areas, respectively, and another dummy area encompassing the group of effectively optical areas.

6. (Withdrawn) The method according to claim 3, further including starting the step of coating the composition including the organic EL material at the dummy area prior to coating on the effectively optical area and ending at the dummy area after coating on the effectively optical area.

7. (Withdrawn) The method according to claim 1, further including disposing individual areas to be coated in the entirety of the coating area at a constant pitch from each other.

8. (Withdrawn) The method according to claim 7, further including disposing any one of the electrodes relative to adjacent ones of the electrodes at a constant pitch.

9. (Withdrawn) A method for manufacturing an organic EL device which includes an effectively optical area having a plurality of electrodes and an organic EL layer formed above each of the plurality of electrodes, the method comprising:

forming the organic EL layer both on areas that are to be the effectively optical area and on other areas that are not to be the effectively optical area.

10. (Withdrawn) A method for manufacturing an organic EL device which includes an effectively optical area having a plurality of electrodes and an organic EL layer formed above each of the plurality of electrodes, the method comprising:

forming the organic EL layer in areas not having the electrodes and which are supposed to be the effectively optical area.

11. (Withdrawn) An organic EL device manufactured according to the method of claim 1.

12. (Currently Amended) An organic EL device, comprising:
a first and second set of electrodes;
an organic EL layer formed above each of the first and second set of electrodes;
an effectively optical area in which the first set of electrodes is formed; ~~and~~
a dummy area disposed around the effectively optical area, and not over the first set of electrodes in which the second set of electrodes is formed; and
the second set of electrodes not being connected to any driving circuit elements.

13. (Currently Amended) An organic EL device, comprising:
~~a first and second set of electrodes;~~
~~an organic EL layer formed above each of the first and second set of electrodes;~~
an effectively optical area in which the ~~first set of electrodes is~~ are formed;
a dummy area disposed around the effectively optical area, ~~in which the second set of electrodes is formed; and~~; an organic EL layer formed above each of the electrodes and above the dummy area; and
a bank layer disposed between each electrode of the ~~first and second set of~~ electrodes, the organic EL layer in the dummy area being disposed on a layer made of a same material as the bank layer.

14. (Previously Presented) The organic EL device according to claim 13, the bank layer including an organic bank layer and an inorganic bank layer, and the organic EL layer in the dummy area being disposed on a layer made of a same material as the inorganic bank layer.

15. (Previously Presented) The organic EL device according to claim 14, the bank layer being disposed laterally between portions of the organic EL layer in the dummy area.

16. (Previously Presented) The organic EL device according to claim 13, the bank layer including an organic bank layer, the organic EL layer in the dummy area being disposed on a layer made of a same material as the organic bank layer.

17. (Currently Amended) An organic EL device, comprising:
a first and second set of electrodes;
an organic EL layer formed above each of the first and second set of electrodes;
an effectively optical area in which the first set of electrodes is formed; and
a dummy area disposed around the effectively optical area, in which the second set of electrodes is formed, the organic EL layer in the dummy area being disposed on ~~a layer made of a same material as the electrodes~~ the second set of electrodes.

18. (Previously Presented) The organic EL device according to claim 17, further including a bank layer being formed laterally between portions of the organic EL layer in the dummy area.

19. (Previously Presented) An organic EL device, comprising:
a first and second set of electrodes;
an organic EL layer formed above each of the first and second set of electrodes;
an effectively optical area in which the first set of electrodes is formed; and
a dummy area disposed around the effectively optical area, in which the second set of electrodes is formed, adjacent ^{portions} ~~portions~~ of the organic EL layer being disposed at a constant pitch in both the effectively optical area and the dummy area.

20. (Previously Presented) The organic EL device according to claim 12, both the effectively optical area and the dummy area being provided on a substrate, and portions in the effectively optical area on the substrate having a substantially same cross-sectional structure as portions in the dummy area on the substrate.

21. (Currently Amended) An organic EL device, comprising:
 an effectively optical area having a first ~~and second~~ set of electrodes; ~~and~~
a second set of electrodes formed outside the effectively optical area; and
the second set of electrodes not being connected to any driving circuit
elements; and

an organic EL layer formed on each of the first and second set of electrodes,
~~wherein the organic EL layer being formed both on areas supposed to be the effectively~~
~~optical area and on other areas not over the first set of electrodes, which are outside the~~
~~effectively optical area.~~

22. (Canceled).

23. (Previously Presented) An electronic device, comprising:
 the organic EL device according to claim 12.

24. (Currently Amended) An EL device comprising:
 an optically active area including a plurality of pixels,
 a first EL layer disposed in the optically active area;
 a dummy area including a dummy pixel, ~~which substantially does not relate to~~
~~display, being adjacent to the optically active area; area, the dummy pixel not being~~
electrically connected to the plurality of pixels; and
 a second EL layer disposed in the dummy area.

25. (Previously Presented) An EL device according to claim 24, further
 comprising a bank that divides the optically active area into the plurality of pixels.

26. (Previously Presented) An EL device according to claim 25, wherein the bank is formed in the dummy area,

wherein the first EL layer is provided in a region partitioned by the bank, and

wherein the second EL layer is provided on the bank in the dummy area.

27. (Previously Presented) An EL device according to claim 25, wherein the bank includes a plurality of layers.

28. (Previously Presented) An EL device according to claim 25, further comprising a electrode in an area partitioned by the bank, the first EL layer being provided on the electrode.

29. (Previously Presented) An EL device according to claim 27, wherein the bank includes at least a SiO₂ layer and a polyimide layer.

30. (Previously Presented) An EL device according to claim 26, wherein the bank is formed in the dummy area, and the bank divides the dummy area into a plurality of dummy pixels.

31. (Previously Presented) An EL device according to claim 30, the second EL layer is provided in the area partitioned by the bank.

32. (Previously Presented) An EL device according to claim 31, wherein the bank includes at least a SiO₂ layer and a polyimide layer,

wherein the dummy pixels are divided by the polyimide layer, and

wherein the second EL layer is disposed on the SiO₂ layer.

33. (Currently Amended) An EL device according to claim 24, further comprising:

a substrate ~~where~~ disposed under the plurality of pixels and dummy pixel;

a circuit element portion including a TFT, and provided between the first EL layer and the substrate; and

a bank that partitions the plurality of pixels, wherein the TFT overlaps with the bank.

34. (Previously Presented) An EL device according to claim 24, further comprising a plurality of dummy pixels, wherein the dummy pixels and the pixels are substantially equal in pitch.

35. (Previously Presented) An EL device according to claim 24, further comprising a plurality of dummy pixels, wherein the dummy pixels are arranged in lines.

36. (Currently Amended) An EL device according to claim 24, wherein a plurality of optically active areas are provided, each of which are surrounded by ~~the~~ dummy areas.

37. (Previously Presented) An EL device according to claim 24, wherein the first EL layer includes at least hole injection material and a luminous material.

38. (Currently Amended) An EL device according to claim 24, wherein the second EL layer includes at least hole injection material and a luminous ~~mater~~ material.